

ARHGAP18 Polyclonal Antibody

Catalog # AP68500

Specification

ARHGAP18 Polyclonal Antibody - Product Information

Application WB, IHC-P
Primary Accession Q8N392
Reactivity Human
Host Rabbit
Clonality Polyclonal

ARHGAP18 Polyclonal Antibody - Additional Information

Gene ID 93663

Other Names

ARHGAP18; Rho GTPase-activating protein 18; MacGAP; Rho-type GTPase-activating protein 18

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications. IHC-P~ \sim N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ARHGAP18 Polyclonal Antibody - Protein Information

Name ARHGAP18 (HGNC:21035)

Function

Rho GTPase activating protein that suppresses F-actin polymerization by inhibiting Rho. Rho GTPase activating proteins act by converting Rho-type GTPases to an inactive GDP-bound state (PubMed:21865595). Plays a key role in tissue tension and 3D tissue shape by regulating cortical actomyosin network formation. Acts downstream of YAP1 and inhibits actin polymerization, which in turn reduces nuclear localization of YAP1 (PubMed:25778702). Regulates cell shape, spreading, and migration (PubMed:21865595).

Cellular Location

Cytoplasm.




ARHGAP18 Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ARHGAP18 Polyclonal Antibody - Images



Western Blot analysis of various cells using ARHGAP18 Polyclonal Antibody



Western Blot analysis of Jurkat cells using ARHGAP18 Polyclonal Antibody

ARHGAP18 Polyclonal Antibody - Background

Rho GTPase activating protein that suppresses F-actin polymerization by inhibiting Rho. Rho





Tel: 858.875.1900 Fax: 858.875.1999

GTPase activating proteins act by converting Rho-type GTPases to an inactive GDP-bound state (PubMed:21865595). Plays a key role in tissue tension and 3D tissue shape by regulating cortical actomyosin network formation. Acts downstream of YAP1 and inhibits actin polymerization, which in turn reduces nuclear localization of YAP1 (PubMed:25778702). Regulates cell shape, spreading, and migration (PubMed:21865595).