

#### **CD5 Polyclonal Antibody**

**Catalog # AP68949** 

# **Specification**

#### **CD5 Polyclonal Antibody - Product Information**

**Application** WB **Primary Accession** P06127 Reactivity Human, Mouse, Rat

Host Rabbit Clonality **Polyclonal** 

# **CD5 Polyclonal Antibody - Additional Information**

Gene ID 921

**Other Names** 

CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions** 

-20°C

# **CD5 Polyclonal Antibody - Protein Information**

Name CD5

Synonyms LEU1

#### **Function**

Lymphoid-specific receptor expressed by all T-cells and in a subset of B-cells known as B1a cells. Plays a role in the regulation of TCR and BCR signaling, thymocyte selection, T-cell effector differentiation and immune tolerance. Acts by interacting with several ligands expressed on B-cells such as CD5L or CD72 and thereby plays an important role in contact-mediated, T-dependent B-cell activation and in the maintenance of regulatory T and B-cell homeostasis. Functions as a negative regulator of TCR signaling during thymocyte development by associating with several signaling proteins including LCK, CD3Z chain, PI3K or CBL (PubMed:<a href="http://www.uniprot.org/citations/1384049" target=" blank">1384049</a>, PubMed:<a href="http://www.uniprot.org/citations/1385158" target="blank">1385158</a>). Mechanistically, co- engagement of CD3 with CD5 enhances phosphorylated CBL recruitment leading to increased VAV1 phosphorylation and degradation (PubMed: <a href="http://www.uniprot.org/citations/23376399" target=" blank">23376399</a>). Modulates

B-cell biology through ERK1/2 activation in a Ca(2+)-dependent pathway via the non-selective

Ca(2+) channel TRPC1, leading to IL-10 production (PubMed:<a



href="http://www.uniprot.org/citations/27499044" target="\_blank">27499044</a>).

#### **Cellular Location**


Cell membrane {ECO:0000250|UniProtKB:P13379}; Single-pass type I membrane protein {ECO:0000250|UniProtKB:P13379}

## **CD5 Polyclonal Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# **CD5 Polyclonal Antibody - Images**







**CD5 Polyclonal Antibody - Background** 

May act as a receptor in regulating T-cell proliferation.