

#### Crystallin-αB Polyclonal Antibody

**Catalog # AP69310** 

#### **Specification**

#### Crystallin-αB Polyclonal Antibody - Product Information

Application IHC-P Primary Accession P02511

Reactivity Human, Mouse, Rat

Host Rabbit Clonality Polyclonal

#### Crystallin-αB Polyclonal Antibody - Additional Information

**Gene ID 1410** 

#### **Other Names**

CRYAB; CRYA2; Alpha-crystallin B chain; Alpha(B)-crystallin; Heat shock protein beta-5; HspB5; Renal carcinoma antigen NY-REN-27; Rosenthal fiber component

# Dilution

IHC-P~~N/A

### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

# **Storage Conditions**

-20°C

#### Crystallin-αB Polyclonal Antibody - Protein Information

Name CRYAB (HGNC:2389)

Synonyms CRYA2, HSPB5

#### **Function**

May contribute to the transparency and refractive index of the lens. Has chaperone-like activity, preventing aggregation of various proteins under a wide range of stress conditions. In lens epithelial cells, stabilizes the ATP6V1A protein, preventing its degradation by the proteasome (By similarity).

#### **Cellular Location**

Cytoplasm. Nucleus Secreted. Lysosome {ECO:0000250|UniProtKB:P23927}. Note=Translocates to the nucleus during heat shock and resides in sub-nuclear structures known as SC35 speckles or nuclear splicing speckles (PubMed:19464326). Localizes at the Z- bands and the intercalated disk in cardiomyocytes (PubMed:28493373) Can be secreted; the secretion is dependent on protein unfolding and facilitated by the cargo receptor TMED10; it results in protein translocation from the cytoplasm into the ERGIC (endoplasmic reticulum- Golgi intermediate compartment) followed by vesicle entry and secretion (PubMed:32272059).



#### **Tissue Location**


Lens as well as other tissues (PubMed:2387586, PubMed:838078). Expressed in myocardial tissue (PubMed:28493373)


# Crystallin-αB Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Crystallin-αB Polyclonal Antibody - Images





# Crystallin-αB Polyclonal Antibody - Background

May contribute to the transparency and refractive index of the lens. Has chaperone-like activity,





preventing aggregation of various proteins under a wide range of stress conditions.