

# **CYP4B1 Polyclonal Antibody**

**Catalog # AP69416** 

# **Specification**

# **CYP4B1 Polyclonal Antibody - Product Information**

Application WB, IHC-P
Primary Accession P13584
Reactivity Human
Host Rabbit
Clonality Polyclonal

# CYP4B1 Polyclonal Antibody - Additional Information

### **Gene ID** 1580

#### **Other Names**

CYP4B1; Cytochrome P450 4B1; CYPIVB1; Cytochrome P450-HP

#### **Dilution**

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

IHC-P~~N/A

### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

## **Storage Conditions**

-20°C

### CYP4B1 Polyclonal Antibody - Protein Information

### Name CYP4B1

# **Function**

Cytochromes P450 are a group of heme-thiolate monooxygenases. In liver microsomes, this enzyme is involved in an NADPH-dependent electron transport pathway. It oxidizes a variety of structurally unrelated compounds, including steroids, fatty acids, and xenobiotics.

### **Cellular Location**

Endoplasmic reticulum membrane; Peripheral membrane protein. Microsome membrane; Peripheral membrane protein

### **Tissue Location**

Detected in the liver and lung (at protein level).


# **CYP4B1 Polyclonal Antibody - Protocols**




Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## CYP4B1 Polyclonal Antibody - Images





CYP4B1 Polyclonal Antibody - Background

Cytochromes P450 are a group of heme-thiolate monooxygenases. In liver microsomes, this enzyme is involved in an NADPH-dependent electron transport pathway. It oxidizes a variety of structurally unrelated compounds, including steroids, fatty acids, and xenobiotics.