

### **CYP8B1 Polyclonal Antibody**

**Catalog # AP69425** 

#### **Specification**

## **CYP8B1 Polyclonal Antibody - Product Information**

Application WB
Primary Accession Q9UNU6
Reactivity Human, Mouse
Host Rabbit
Clonality Polyclonal

## **CYP8B1 Polyclonal Antibody - Additional Information**

#### **Gene ID 1582**

#### **Other Names**

CYP8B1; CYP12; 7-alpha-hydroxycholest-4-en-3-one 12-alpha-hydroxylase; 7-alpha-hydroxy-4-cholesten-3-one 12-alpha-hydroxylase; CYPVIIIB1; Cytochrome P450 8B1; Sterol 12-alpha-hydroxylase

#### Dilution

WB $\sim$ Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

#### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

## **Storage Conditions**

-20°C

## **CYP8B1 Polyclonal Antibody - Protein Information**

Name CYP8B1 {ECO:0000303|PubMed:10051404, ECO:0000312|HGNC:HGNC:2653}

#### **Function**

A cytochrome P450 monooxygenase involved in primary bile acid biosynthesis. Catalyzes the 12alpha-hydroxylation of 7alpha-hydroxy-4- cholesten-3-one, an intermediate metabolite in cholic acid biosynthesis (PubMed:<a href="http://www.uniprot.org/citations/10051404" target="\_blank">10051404</a>). Controls biliary balance of cholic acid and chenodeoxycholic acid, ultimately regulating the intestinal absorption of dietary lipids (By similarity). Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR; NADPH--hemoprotein reductase) (By similarity).

## **Cellular Location**

Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:O02766}; Single-pass membrane protein. Microsome membrane {ECO:0000250|UniProtKB:O02766}; Single-pass membrane protein




Tissue Location Liver..


# **CYP8B1 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# CYP8B1 Polyclonal Antibody - Images









Tel: 858.875.1900 Fax: 858.875.1999

# CYP8B1 Polyclonal Antibody - Background

Involved in bile acid synthesis and is responsible for the conversion of 7 alpha-hydroxy-4-cholesten-3-one into 7 alpha, 12 alpha-dihydroxy-4-cholesten-3-one. Responsible for the balance between formation of cholic acid and chenodeoxycholic acid. Has a rather broad substrate specificity including a number of 7-alpha- hydroxylated C27 steroids.