

DCAMKL2 Polyclonal Antibody

Catalog # AP69481

Specification

DCAMKL2 Polyclonal Antibody - Product Information

Application WB, IF Primary Accession Q8N568

Reactivity Human, Mouse

Host Rabbit Clonality Polyclonal

DCAMKL2 Polyclonal Antibody - Additional Information

Gene ID 166614

Other Names

DCLK2; DCAMKL2; DCDC3B; DCK2; Serine/threonine-protein kinase DCLK2; CaMK-like CREB regulatory kinase 2; CL2; CLICK-II; CLICK2; Doublecortin domain-containing protein 3B; Doublecortin-like and CAM kinase-like 2; Doublecortin-like kinase 2

Dilution

WB $\sim\sim$ Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.

IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

DCAMKL2 Polyclonal Antibody - Protein Information

Name DCLK2

Synonyms DCAMKL2, DCDC3B, DCK2

Function

Protein kinase with a significantly reduced C(a2+)/CAM affinity and dependence compared to other members of the CaMK family. May play a role in the down-regulation of CRE-dependent gene activation probably by phosphorylation of the CREB coactivator CRTC2/TORC2 and the resulting retention of TORC2 in the cytoplasm (By similarity).

Cellular Location

Cytoplasm, cytoskeleton. Note=Colocalizes with microtubules.

Tissue Location

Expressed in the brain, heart and eyes.





DCAMKL2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

DCAMKL2 Polyclonal Antibody - Images





DCAMKL2 Polyclonal Antibody - Background





Protein kinase with a significantly reduced C(a2+)/CAM affinity and dependence compared to other members of the CaMK family. May play a role in the down-regulation of CRE-dependent gene activation probably by phosphorylation of the CREB coactivator CRTC2/TORC2 and the resulting retention of TORC2 in the cytoplasm (By similarity).