

DDX54 Polyclonal Antibody
Catalog # AP69499**Specification**

DDX54 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q8TDD1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

DDX54 Polyclonal Antibody - Additional Information**Gene ID** 79039**Other Names**

DDX54; ATP-dependent RNA helicase DDX54; ATP-dependent RNA helicase DP97; DEAD box RNA helicase 97 kDa; DEAD box protein 54

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

DDX54 Polyclonal Antibody - Protein Information**Name** DDX54**Function**

Has RNA-dependent ATPase activity. Represses the transcriptional activity of nuclear receptors.

Cellular Location

Nucleus, nucleolus.

Tissue Location

Expressed in the fallopian tube, cervix and uterus. Also expressed in the brain.



DDX54 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DDX54 Polyclonal Antibody - Images



DDX54 Polyclonal Antibody - Background

Has RNA-dependent ATPase activity. Represses the transcriptional activity of nuclear receptors.