

FRP-2 Polyclonal Antibody
Catalog # AP69973**Specification**

FRP-2 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q96HF1
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

FRP-2 Polyclonal Antibody - Additional Information**Gene ID** 6423**Other Names**

SFRP2; FRP2; SARP1; FKSG12; Secreted frizzled-related protein 2; FRP-2; sFRP-2; Secreted apoptosis-related protein 1; SARP-1

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

FRP-2 Polyclonal Antibody - Protein Information**Name** SFRP2**Synonyms** FRP2, SARP1**Function**

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.

Cellular Location

Secreted.

Tissue Location



Expressed in adipose tissue, heart, brain, skeletal muscle, pancreas, thymus, prostate, testis, ovary, small intestine and colon. Highest levels in adipose tissue, small intestine and colon

FRP-2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FRP-2 Polyclonal Antibody - Images



FRP-2 Polyclonal Antibody - Background

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct

interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.