

# **Gab 2 Polyclonal Antibody**

**Catalog # AP69999** 

# **Specification**

# **Gab 2 Polyclonal Antibody - Product Information**

Application WB
Primary Accession Q9UOC2

Reactivity Human, Mouse, Rat Rabbit

Host Rabbit Clonality Polyclonal

# Gab 2 Polyclonal Antibody - Additional Information

**Gene ID 9846** 

### **Other Names**

GAB2; KIAA0571; GRB2-associated-binding protein 2; GRB2-associated binder 2; Growth factor receptor bound protein 2-associated protein 2; pp100

#### Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

# **Storage Conditions**

-20°C

### **Gab 2 Polyclonal Antibody - Protein Information**

Name GAB2

Synonyms KIAA0571

### **Function**

Adapter protein which acts downstream of several membrane receptors including cytokine, antigen, hormone, cell matrix and growth factor receptors to regulate multiple signaling pathways. Regulates osteoclast differentiation mediating the TNFRSF11A/RANK signaling. In allergic response, it plays a role in mast cells activation and degranulation through PI-3-kinase regulation. Also involved in the regulation of cell proliferation and hematopoiesis.

# **Cellular Location**

Cytoplasm. Cell membrane. Membrane raft {ECO:0000250|UniProtKB:Q9Z1S8}


### **Gab 2 Polyclonal Antibody - Protocols**




Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Gab 2 Polyclonal Antibody - Images





Gab 2 Polyclonal Antibody - Background

Adapter protein which acts downstream of several membrane receptors including cytokine, antigen, hormone, cell matrix and growth factor receptors to regulate multiple signaling pathways. Regulates osteoclast differentiation mediating the TNFRSF11A/RANK signaling. In allergic response,





it plays a role in mast cells activation and degranulation through PI-3-kinase regulation. Also involved in the regulation of cell proliferation and hematopoiesis.