

Ikaros 3 Polyclonal Antibody
Catalog # AP70482**Specification**

Ikaros 3 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q9UKT9
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

Ikaros 3 Polyclonal Antibody - Additional Information**Gene ID** 22806**Other Names**

IKZF3; ZNFN1A3; Zinc finger protein Aiolos; Ikaros family zinc finger protein 3

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Ikaros 3 Polyclonal Antibody - Protein Information**Name** IKZF3**Synonyms** ZNFN1A3**Function**

Transcription factor that plays an important role in the regulation of lymphocyte differentiation. Plays an essential role in regulation of B-cell differentiation, proliferation and maturation to an effector state. Involved in regulating BCL2 expression and controlling apoptosis in T-cells in an IL2-dependent manner.

Cellular Location

Nucleus. Cytoplasm [Isoform 3]: Nucleus [Isoform 14]: Nucleus. Cytoplasm

Tissue Location



Expressed most strongly in peripheral blood leukocytes, the spleen, and the thymus.

Ikaros 3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Ikaros 3 Polyclonal Antibody - Images



Ikaros 3 Polyclonal Antibody - Background

Transcription factor that plays an important role in the regulation of lymphocyte differentiation. Plays an essential role in regulation of B-cell differentiation, proliferation and maturation to an effector state. Involved in regulating BCL2 expression and controlling apoptosis in T-cells in an IL2-

dependent manner.