

## **KV3.1 Polyclonal Antibody**

**Catalog # AP70693** 

### **Specification**

# **KV3.1 Polyclonal Antibody - Product Information**

Application WB
Primary Accession P48547

Reactivity Human, Mouse, Rat

Host Rabbit Clonality Polyclonal

## **KV3.1** Polyclonal Antibody - Additional Information

#### **Gene ID 3746**

#### **Other Names**

KCNC1; Potassium voltage-gated channel subfamily C member 1; NGK2; Voltage-gated potassium channel subunit Kv3.1; Voltage-gated potassium channel subunit Kv4

#### Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.

#### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

#### **Storage Conditions**

-20°C

### KV3.1 Polyclonal Antibody - Protein Information

#### Name KCNC1

#### **Function**

Voltage-gated potassium channel that plays an important role in the rapid repolarization of fast-firing brain neurons. The channel opens in response to the voltage difference across the membrane, forming a potassium-selective channel through which potassium ions pass in accordance with their electrochemical gradient (PubMed:<a

href="http://www.uniprot.org/citations/25401298" target="\_blank">25401298</a>). Can form functional homotetrameric channels and heterotetrameric channels that contain variable proportions of KCNC2, and possibly other family members as well. Contributes to fire sustained trains of very brief action potentials at high frequency in pallidal neurons.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein. Cell projection, axon {ECO:0000250|UniProtKB:P25122}. Presynaptic cell membrane

{ECO:0000250|UniProtKB:P25122}. Note=Localizes in parallel fiber membranes, distributed on the perisynaptic and extrasynaptic membranes away from the active zones.




{ECO:0000250|UniProtKB:P25122}


# **KV3.1 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


# **KV3.1 Polyclonal Antibody - Images**











KV3.1 Polyclonal Antibody - Background

Voltage-gated potassium channel that plays an important role in the rapid repolarization of fast-firing brain neurons. The channel opens in response to the voltage difference across the membrane, forming a potassium-selective channel through which potassium ions pass in accordance with their electrochemical gradient (PubMed:25401298). Can form functional homotetrameric channels and heterotetrameric channels that contain variable proportions of KCNC2, and possibly other family members as well. Contributes to fire sustained trains of very brief action potentials at high frequency in pallidal neurons.