

LUC7L2 Polyclonal Antibody
Catalog # AP70786**Specification**

LUC7L2 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q9Y383
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

LUC7L2 Polyclonal Antibody - Additional Information**Gene ID** 51631**Other Names**

LUC7L2; CGI-59; CGI-74; Putative RNA-binding protein Luc7-like 2

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

LUC7L2 Polyclonal Antibody - Protein Information**Name** LUC7L2**Function**

May bind to RNA via its Arg/Ser-rich domain.

Cellular Location

Nucleus speckle {ECO:0000250|UniProtKB:Q7TNC4}. Nucleus, nucleoplasm {ECO:0000250|UniProtKB:Q7TNC4}. Note=Colocalizes with SCNM1 and SNRNP70 in nuclear speckles {ECO:0000250|UniProtKB:Q7TNC4}


LUC7L2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LUC7L2 Polyclonal Antibody - Images



Western Blot analysis of various cells using LUC7L2 Polyclonal Antibody

LUC7L2 Polyclonal Antibody - Background

May bind to RNA via its Arg/Ser-rich domain.