

MZF-1 Polyclonal Antibody
Catalog # AP71142**Specification**

MZF-1 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	P28698
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

MZF-1 Polyclonal Antibody - Additional Information**Gene ID** 7593**Other Names**

MZF1; MZF; ZNF42; ZSCAN6; Myeloid zinc finger 1; MZF-1; Zinc finger and SCAN domain-containing protein 6; Zinc finger protein 42

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

MZF-1 Polyclonal Antibody - Protein Information**Name** MZF1**Synonyms** MZF, ZNF42, ZSCAN6**Function**

Binds to target promoter DNA and functions as a transcription regulator. Regulates transcription from the PADI1 and CDH2 promoter. May be one regulator of transcriptional events during hemopoietic development.

Cellular Location

Nucleus.

Tissue Location



Preferentially expressed in differentiating myeloid cells. Detected in osteoblasts.

MZF-1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MZF-1 Polyclonal Antibody - Images



MZF-1 Polyclonal Antibody - Background

Binds to target promoter DNA and functions as transcription regulator. Regulates transcription

from the PADI1 and CDH2 promoter. May be one regulator of transcriptional events during hemopoietic development.