

NAB2 Polyclonal Antibody
Catalog # AP71158**Specification**

NAB2 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q15742
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

NAB2 Polyclonal Antibody - Additional Information**Gene ID** 4665**Other Names**

NAB2; MADER; NGFI-A-binding protein 2; EGR-1-binding protein 2; Melanoma-associated delayed early response protein; Protein MADER

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

NAB2 Polyclonal Antibody - Protein Information**Name** NAB2**Synonyms** MADER**Function**

Acts as a transcriptional repressor for zinc finger transcription factors EGR1 and EGR2. Isoform 2 lacks repression ability (By similarity).

Cellular Location

Nucleus. Note=Isoform 2 is not localized to the nucleus.

Tissue Location


Widely expressed at low levels. Highly expressed in melanoma cell lines

NAB2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NAB2 Polyclonal Antibody - Images



NAB2 Polyclonal Antibody - Background

Acts as a transcriptional repressor for zinc finger transcription factors EGR1 and EGR2. Isoform 2 lacks repression ability (By similarity).