

**CABC1 Antibody (C-term D531)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP7116b****Specification**

---

**CABC1 Antibody (C-term D531) - Product Information**

Application	WB,E
Primary Accession	<a href="#">Q8NI60</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	71950
Antigen Region	516-545

**CABC1 Antibody (C-term D531) - Additional Information****Gene ID** 56997**Other Names**

Chaperone activity of bc1 complex-like, mitochondrial, Chaperone-ABC1-like, 2711-, aarF domain-containing protein kinase 3, ADCK3, CABC1

**Target/Specificity**

This CABC1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 516-545 amino acids from the C-terminal region of human CABC1.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

CABC1 Antibody (C-term D531) is for research use only and not for use in diagnostic or therapeutic procedures.

**CABC1 Antibody (C-term D531) - Protein Information****Name** COQ8A {ECO:0000303|PubMed:27499294, ECO:0000312|HGNC:HGNC:16812}**Function** Atypical kinase involved in the biosynthesis of coenzyme Q, also named ubiquinone, an essential lipid-soluble electron transporter for aerobic cellular respiration (PubMed:[25498144](#),

PubMed:[21296186](#), PubMed:[25540914](#), PubMed:[27499294](#)). Its substrate specificity is unclear: does not show any protein kinase activity (PubMed:[25498144](#), PubMed:[27499294](#)). Probably acts as a small molecule kinase, possibly a lipid kinase that phosphorylates a prenyl lipid in the ubiquinone biosynthesis pathway, as suggested by its ability to bind coenzyme Q lipid intermediates (PubMed:[25498144](#), PubMed:[27499294](#)). Shows an unusual selectivity for binding ADP over ATP (PubMed:[25498144](#)).

#### Cellular Location

Mitochondrion. Membrane; Single-pass membrane protein {ECO:0000255, ECO:0000305|PubMed:25216398}

#### Tissue Location


Widely expressed, with highest levels in adrenal gland, heart, pancreas, nasal mucosa, stomach, uterus and skeletal muscle.

### CABC1 Antibody (C-term D531) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### CABC1 Antibody (C-term D531) - Images



Western blot analysis of anti-CABC1 Antibody (C-term D531) (Cat.#AP7116b) in 293 cell line lysates (35ug/lane). CABC1 (arrow) was detected using the purified Pab.

### CABC1 Antibody (C-term D531) - Background

CABC1 is one of several proteins for which expression is induced by p53 expression. The *S. pombe* homolog, ABC1, is a chaperone-like protein essential for the proper conformation and functioning of protein complexes in the respiratory chain.

### CABC1 Antibody (C-term D531) - References

Iizumi, M., et al., Cancer Res. 62(5):1246-1250 (2002).