

NFRκB Polyclonal Antibody
Catalog # AP71272**Specification**

NFRκB Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q6P4R8
Reactivity	Human, Mouse, Monkey
Host	Rabbit
Clonality	Polyclonal

NFRκB Polyclonal Antibody - Additional Information**Gene ID** 4798**Other Names**NFRKB; INO80G; Nuclear factor related to kappa-B-binding protein; DNA-binding protein R
kappa-B; INO80 complex subunit G**Dilution**

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

NFRκB Polyclonal Antibody - Protein Information**Name** NFRKB**Synonyms** INO80G**Function**

Binds to the DNA consensus sequence 5'-GGGGAATCTCC-3'.

Cellular Location

Nucleus.

Tissue Location



Expressed in thymus, brain, testes, spleen and liver.



NFRκB Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NFRκB Polyclonal Antibody - Images





NFRκB Polyclonal Antibody - Background

Binds to the DNA consensus sequence 5'-GGGGAATCTCC-3'.