

p39 Polyclonal Antibody
Catalog # AP71698**Specification**

p39 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q13319
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

p39 Polyclonal Antibody - Additional Information**Gene ID** 8941**Other Names**

CDK5R2; NCK5AI; Cyclin-dependent kinase 5 activator 2; CDK5 activator 2; Cyclin-dependent kinase 5 regulatory subunit 2; p39; p39l

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

p39 Polyclonal Antibody - Protein Information**Name** CDK5R2**Synonyms** NCK5AI**Function**

Activator of CDK5/TPKII.

Cellular Location

Cell membrane; Lipid-anchor; Cytoplasmic side

Tissue Location



Brain and neuron specific.



p39 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

p39 Polyclonal Antibody - Images





p39 Polyclonal Antibody - Background

Activator of CDK5/TPKII.