

PRPF18 Polyclonal Antibody
Catalog # AP72049**Specification**

PRPF18 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q99633
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

PRPF18 Polyclonal Antibody - Additional Information**Gene ID** 8559**Other Names**

PRPF18; HPRP18; Pre-mRNA-splicing factor 18; PRP18 homolog; hPRP18

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

PRPF18 Polyclonal Antibody - Protein Information**Name** PRPF18**Synonyms** HPRP18**Function**

Participates in the second step of pre-mRNA splicing.

Cellular Location

Nucleus speckle. Note=Colocalizes with spliceosomal snRNPs.


PRPF18 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


PRPF18 Polyclonal Antibody - Images




Western Blot analysis of various cells using PRPF18 Polyclonal Antibody diluted at 1:500 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Western Blot analysis of HuvEc cells using PRPF18 Polyclonal Antibody diluted at 1:500 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Western Blot analysis of various cells using PRPF18 Polyclonal Antibody diluted at 1:500 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Western Blot analysis of HuvEc cells using PRPF18 Polyclonal Antibody diluted at 1:500 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).

PRPF18 Polyclonal Antibody - Background

Participates in the second step of pre-mRNA splicing.