

Radixin Polyclonal Antibody
Catalog # AP72156**Specification**

Radixin Polyclonal Antibody - Product Information

Application	WB
Primary Accession	P35241
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal



Radixin Polyclonal Antibody - Additional Information**Gene ID** 5962**Other Names**
RDX; Radixin**Dilution**
WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.**Format**
Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.**Storage Conditions**
-20°C**Radixin Polyclonal Antibody - Protein Information****Name** RDX**Function**
Probably plays a crucial role in the binding of the barbed end of actin filaments to the plasma membrane.**Cellular Location**
Cell membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasm, cytoskeleton. Cleavage furrow. Cell projection, microvillus {ECO:0000250|UniProtKB:P26043}. Note=Highly concentrated in the undercoat of the cell-to-cell adherens junction and the cleavage furrow in the interphase and mitotic phase, respectively**Radixin Polyclonal Antibody - Protocols**



Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Radixin Polyclonal Antibody - Images





Radixin Polyclonal Antibody - Background

Probably plays a crucial role in the binding of the barbed end of actin filaments to the plasma membrane.