

SR-6 Polyclonal Antibody
Catalog # AP72591**Specification**

SR-6 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	P50406
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

SR-6 Polyclonal Antibody - Additional Information**Gene ID** 3362**Other Names**

HTR6; 5-hydroxytryptamine receptor 6; 5-HT-6; 5-HT6; Serotonin receptor 6

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

SR-6 Polyclonal Antibody - Protein Information**Name** HTR6**Function**

This is one of the several different receptors for 5- hydroxytryptamine (serotonin), a biogenic hormone that functions as a neurotransmitter, a hormone, and a mitogen. The activity of this receptor is mediated by G proteins that stimulate adenylate cyclase. It has a high affinity for tricyclic psychotropic drugs (By similarity). Controls pyramidal neurons migration during corticogenesis, through the regulation of CDK5 activity (By similarity). Is an activator of TOR signaling (PubMed:23027611).

Cellular Location

Cell membrane; Multi-pass membrane protein.

Tissue Location



Expressed in several human brain regions, most prominently in the caudate nucleus

SR-6 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SR-6 Polyclonal Antibody - Images



SR-6 Polyclonal Antibody - Background

This is one of the several different receptors for 5- hydroxytryptamine (serotonin), a biogenic

hormone that functions as a neurotransmitter, a hormone, and a mitogen. The activity of this receptor is mediated by G proteins that stimulate adenylate cyclase. It has a high affinity for tricyclic psychotropic drugs (By similarity). Controls pyramidal neurons migration during corticogenesis, through the regulation of CDK5 activity (By similarity). Is an activator of TOR signaling (PubMed:23027611).