

Stat5a Polyclonal Antibody

Catalog # AP72634

Specification

Stat5a Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality WB, IF <u>P42229</u> Human, Mouse, Rat Rabbit Polyclonal

Stat5a Polyclonal Antibody - Additional Information

Gene ID 6776

Other Names STAT5A; STAT5; Signal transducer and activator of transcription 5A

Dilution WB~~Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications. IF~~1:50~200

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions -20°C

Stat5a Polyclonal Antibody - Protein Information

Name STAT5A

Synonyms STAT5

Function

Carries out a dual function: signal transduction and activation of transcription. Mediates cellular responses to the cytokine KITLG/SCF and other growth factors. Mediates cellular responses to ERBB4. May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the GAS element and activates PRL- induced transcription. Regulates the expression of milk proteins during lactation.

Cellular Location Cytoplasm. Nucleus. Note=Translocated into the nucleus in response to phosphorylation


Stat5a Polyclonal Antibody - Protocols



Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Stat5a Polyclonal Antibody - Images



Stat5a Polyclonal Antibody - Background

Carries out a dual function: signal transduction and activation of transcription. Mediates cellular responses to the cytokine KITLG/SCF and other growth factors. Mediates cellular responses to ERBB4. May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the



GAS element and activates PRL-induced transcription. Regulates the expression of milk proteins during lactation.