

## Stat5a Polyclonal Antibody

**Catalog # AP72635** 

### **Specification**

# **Stat5a Polyclonal Antibody - Product Information**

Application WB, IHC-P Primary Accession P42229

Reactivity Human, Mouse, Rat

Host Rabbit Clonality Polyclonal

# Stat5a Polyclonal Antibody - Additional Information

**Gene ID 6776** 

#### **Other Names**

STAT5A; STAT5; Signal transducer and activator of transcription 5A

#### **Dilution**

WB $\sim\sim$ Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.

IHC-P~~N/A

#### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

## **Storage Conditions**

-20°C

### Stat5a Polyclonal Antibody - Protein Information

Name STAT5A

**Synonyms** STAT5

### **Function**


Carries out a dual function: signal transduction and activation of transcription. Mediates cellular responses to the cytokine KITLG/SCF and other growth factors. Mediates cellular responses to ERBB4. May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the GAS element and activates PRL- induced transcription. Regulates the expression of milk proteins during lactation.

### **Cellular Location**

Cytoplasm. Nucleus. Note=Translocated into the nucleus in response to phosphorylation

# Stat5a Polyclonal Antibody - Protocols








Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Stat5a Polyclonal Antibody - Images



# Stat5a Polyclonal Antibody - Background

Carries out a dual function: signal transduction and activation of transcription. Mediates cellular responses to the cytokine KITLG/SCF and other growth factors. Mediates cellular responses to ERBB4. May mediate cellular responses to activated FGFR1, FGFR2, FGFR3 and FGFR4. Binds to the GAS element and activates PRL-induced transcription. Regulates the expression of milk proteins during lactation.