

TASK-5 Polyclonal Antibody
Catalog # AP72725**Specification**

TASK-5 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q9H427
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

TASK-5 Polyclonal Antibody - Additional Information**Gene ID** 60598**Other Names**

KCNK15; TASK5; Potassium channel subfamily K member 15; Acid-sensitive potassium channel protein TASK-5; TWIK-related acid-sensitive K(+) channel 5; Two pore potassium channel KT3.3; Two pore K(+) channel KT3.3

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.
IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

TASK-5 Polyclonal Antibody - Protein Information**Name** KCNK15**Synonyms** TASK5**Function**

Probable potassium channel subunit. No channel activity observed in heterologous systems. May need to associate with another protein to form a functional channel.

Cellular Location

Membrane; Multi-pass membrane protein.

Tissue Location



Detected in pancreas, heart, placenta, lung, liver, kidney, ovary, testis, skeletal muscle and adrenal gland, and at lower levels in prostate, spleen and thyroid gland

TASK-5 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TASK-5 Polyclonal Antibody - Images



TASK-5 Polyclonal Antibody - Background

Probable potassium channel subunit. No channel activity observed in heterologous systems. May need to associate with another protein to form a functional channel.