

**TDAG51 Polyclonal Antibody**  
**Catalog # AP72773****Specification**

---

**TDAG51 Polyclonal Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">Q8WV24</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

**TDAG51 Polyclonal Antibody - Additional Information****Gene ID** 22822**Other Names**

PHLDA1; PHRIP; TDAG51; Pleckstrin homology-like domain family A member 1; Apoptosis-associated nuclear protein; Proline- and glutamine-rich protein; PQ-rich protein; PQR protein; Proline- and histidine-rich protein; T-cell death-associated

**Dilution**

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**TDAG51 Polyclonal Antibody - Protein Information****Name** PHLDA1**Synonyms** PHRIP, TDAG51**Function**

Seems to be involved in regulation of apoptosis. May be involved in detachment-mediated programmed cell death. May mediate apoptosis during neuronal development. May be involved in regulation of anti-apoptotic effects of IGF1. May be involved in translational regulation.

**Cellular Location**

Cytoplasm. Cytoplasmic vesicle. Nucleus, nucleolus. Note=Colocalizes with intracellular vesicles.

**Tissue Location**



Widely expressed with highest levels in pancreas. Strongly expressed by benign melanocytic nevi, and progressively reduced expressed in primary and metastatic melanomas (at protein level).

## TDAG51 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## TDAG51 Polyclonal Antibody - Images



## TDAG51 Polyclonal Antibody - Background

Seems to be involved in regulation of apoptosis. May be involved in detachment-mediated

programmed cell death. May mediate apoptosis during neuronal development. May be involved in regulation of anti-apoptotic effects of IGF1. May be involved in translational regulation.