

TFIIIB90-1 Polyclonal Antibody
Catalog # AP72803**Specification**

TFIIIB90-1 Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	Q92994
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

TFIIIB90-1 Polyclonal Antibody - Additional Information**Gene ID** 2972**Other Names**

BRF1; BRF; GTF3B; TAF3B2; TAF3C; Transcription factor IIIB 90 kDa subunit; TFIIIB90; hTFIIIB90; B-related factor 1; BRF-1; hBRF; TAF3B2; TATA box-binding protein-associated factor; RNA polymerase III, subunit 2

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.
IHC-P~~N/A
IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

TFIIIB90-1 Polyclonal Antibody - Protein Information**Name** BRF1**Synonyms** BRF, GTF3B, TAF3B2, TAF3C**Function**

General activator of RNA polymerase which utilizes different TFIIIB complexes at structurally distinct promoters. The isoform 1 is involved in the transcription of tRNA, adenovirus VA1, 7SL and 5S RNA. Isoform 2 is required for transcription of the U6 promoter.

Cellular Location



Nucleus.

TFIIIB90-1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TFIIIB90-1 Polyclonal Antibody - Images



TFIIIB90-1 Polyclonal Antibody - Background

General activator of RNA polymerase which utilizes different TFIIIB complexes at structurally

distinct promoters. The isoform 1 is involved in the transcription of tRNA, adenovirus VA1, 7SL and 5S RNA. Isoform 2 is required for transcription of the U6 promoter.