

TFIIIC102 Polyclonal Antibody
Catalog # AP72804**Specification**

TFIIIC102 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q9Y5Q9
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

TFIIIC102 Polyclonal Antibody - Additional Information**Gene ID** 9330**Other Names**

GTF3C3; General transcription factor 3C polypeptide 3; Transcription factor IIIC 102 kDa subunit; TFIIIC 102 kDa subunit; TFIIIC102; Transcription factor IIIC subunit gamma; TF3C-gamma

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

TFIIIC102 Polyclonal Antibody - Protein Information**Name** GTF3C3**Function**

Involved in RNA polymerase III-mediated transcription. Integral, tightly associated component of the DNA-binding TFIIIC2 subcomplex that directly binds tRNA and virus-associated RNA promoters.

Cellular Location

Nucleus.


TFIIIC102 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


TFIIIC102 Polyclonal Antibody - Images




Western Blot analysis of various cells using TFIIIC102 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Western Blot analysis of 293 cells using TFIIIC102 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Western Blot analysis of various cells using TFIIIC102 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western Blot analysis of 293 cells using TFIIIC102 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).

TFIIIC102 Polyclonal Antibody - Background

Involved in RNA polymerase III-mediated transcription. Integral, tightly associated component of the DNA-binding TFIIIC2 subcomplex that directly binds tRNA and virus-associated RNA promoters.