

ZBP-89 Polyclonal Antibody
Catalog # AP73117**Specification**

ZBP-89 Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	Q9UQR1
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

ZBP-89 Polyclonal Antibody - Additional Information**Gene ID** 7707**Other Names**

ZNF148; ZBP89; Zinc finger protein 148; Transcription factor ZBP-89; Zinc finger DNA-binding protein 89

DilutionWB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.
IHC-P~~N/A
IF~~1:50~200**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ZBP-89 Polyclonal Antibody - Protein Information**Name** ZNF148**Synonyms** ZBP89**Function**

Involved in transcriptional regulation. Represses the transcription of a number of genes including gastrin, stromelysin and enolase. Binds to the G-rich box in the enhancer region of these genes.

Cellular Location


Nucleus.

ZBP-89 Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZBP-89 Polyclonal Antibody - Images



Western Blot analysis of various cells using ZBP-89 Polyclonal Antibody. Secondary antibody was diluted at 1:20000



Western Blot analysis of various cells using ZBP-89 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

ZBP-89 Polyclonal Antibody - Background

Involved in transcriptional regulation. Represses the transcription of a number of genes including

gastrin, stromelysin and enolase. Binds to the G-rich box in the enhancer region of these genes.