

ZNF227 Polyclonal Antibody
Catalog # AP73268**Specification**

ZNF227 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q86WZ6
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

ZNF227 Polyclonal Antibody - Additional Information**Gene ID** 7770**Other Names**

ZNF227; Zinc finger protein 227

Dilution

WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/40000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ZNF227 Polyclonal Antibody - Protein Information**Name** ZNF227**Function**

May be involved in transcriptional regulation.

Cellular Location

Nucleus.


ZNF227 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZNF227 Polyclonal Antibody - Images




Western Blot analysis of extracts from Jurkat cells, using ZNF227 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Invent biotech, MN, USA).



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-stomach, antibody was diluted at 1:100

ZNF227 Polyclonal Antibody - Background

May be involved in transcriptional regulation.