

## **CD93 Polyclonal Antibody**

Catalog # AP73780

#### **Specification**

## **CD93 Polyclonal Antibody - Product Information**

Application WB
Primary Accession Q9NPY3
Reactivity Human
Host Rabbit
Clonality Polyclonal

# **CD93 Polyclonal Antibody - Additional Information**

#### **Gene ID 22918**

#### **Other Names**

CD93; C1QR1; MXRA4; Complement component C1q receptor; C1q/MBL/SPA receptor; C1qR; C1qR(p); C1qRp; CDw93; Complement component 1 q subcomponent receptor 1;

Matrix-remodeling-associated protein 4; CD93

#### **Dilution**

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

#### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

#### **Storage Conditions**

-20°C

#### **CD93 Polyclonal Antibody - Protein Information**

#### Name CD93

Synonyms C1QR1, MXRA4

#### **Function**

Receptor (or element of a larger receptor complex) for C1q, mannose-binding lectin (MBL2) and pulmonary surfactant protein A (SPA). May mediate the enhancement of phagocytosis in monocytes and macrophages upon interaction with soluble defense collagens. May play a role in intercellular adhesion.

### **Cellular Location**

Membrane; Single-pass type I membrane protein.

# **Tissue Location**

Highly expressed in endothelial cells, platelets, cells of myeloid origin, such as monocytes and neutrophils. Not expressed in cells of lymphoid origin





# **CD93 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **CD93 Polyclonal Antibody - Images**









**CD93 Polyclonal Antibody - Background** 

Receptor (or element of a larger receptor complex) for C1q, mannose-binding lectin (MBL2) and pulmonary surfactant protein A (SPA). May mediate the enhancement of phagocytosis in monocytes and macrophages upon interaction with soluble defense collagens. May play a role in intercellular adhesion.