

CD267 Polyclonal Antibody

Catalog # AP73815

Specification

CD267 Polyclonal Antibody - Product Information

Application WB
Primary Accession O14836
Reactivity Human
Host Rabbit
Clonality Polyclonal

CD267 Polyclonal Antibody - Additional Information

Gene ID 23495

Other Names

TNFRSF13B; TACI; Tumor necrosis factor receptor superfamily member 13B; Transmembrane activator and CAML interactor; CD267

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

CD267 Polyclonal Antibody - Protein Information

Name TNFRSF13B

Synonyms TACI

Function

Receptor for TNFSF13/APRIL and TNFSF13B/TALL1/BAFF/BLYS that binds both ligands with similar high affinity. Mediates calcineurin- dependent activation of NF-AT, as well as activation of NF-kappa-B and AP-1. Involved in the stimulation of B- and T-cell function and the regulation of humoral immunity.

Cellular Location

Membrane; Single-pass type III membrane protein.

Tissue Location

Highly expressed in spleen, thymus, small intestine and peripheral blood leukocytes. Expressed in resting B-cells and activated T-cells, but not in resting T-cells




CD267 Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CD267 Polyclonal Antibody - Images




Western Blot analysis of NIH-3T3 cells using CD267 Polyclonal Antibody. Secondary antibody was diluted at 1:20000




Western Blot analysis of 3T3 cells using CD267 Polyclonal Antibody. Secondary antibody was diluted at 1:20000





Western Blot analysis of NIH-3T3 cells using CD267 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Western Blot analysis of 3T3 cells using CD267 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

CD267 Polyclonal Antibody - Background

Receptor for TNFSF13/APRIL and TNFSF13B/TALL1/BAFF/BLYS that binds both ligands with similar high affinity. Mediates calcineurin-dependent activation of NF-AT, as well as activation of NF-kappa-B and AP-1. Involved in the stimulation of B- and T- cell function and the regulation of humoral immunity.