

ADAMTS-18 Polyclonal Antibody
Catalog # AP73853**Specification**

ADAMTS-18 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q8TE60
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

ADAMTS-18 Polyclonal Antibody - Additional Information**Gene ID** 170692**Other Names**ADAMTS18; ADAMTS21; A disintegrin and metalloproteinase with thrombospondin motifs 18;
ADAM-TS 18; ADAM-TS18; ADAMTS-18**Dilution**

WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ADAMTS-18 Polyclonal Antibody - Protein Information**Name** ADAMTS18**Synonyms** ADAMTS21**Cellular Location**

Secreted, extracellular space, extracellular matrix

Tissue Location


Expressed in fetal lung, liver, and kidney and in adult brain, prostate, submaxillary gland, and endothelium

ADAMTS-18 Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ADAMTS-18 Polyclonal Antibody - Images



Western blot analysis of 3T3 using ADAMTS-18 antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-skin, antibody was diluted at 1:200