

DDT Polyclonal Antibody
Catalog # AP74088**Specification**

DDT Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	P30046
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

DDT Polyclonal Antibody - Additional Information**Gene ID** 1652**Other Names**

D-dopachrome decarboxylase (EC 4.1.1.84) (D-dopachrome tautomerase) (Phenylpyruvate tautomerase II)

Dilution

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

DDT Polyclonal Antibody - Protein Information**Name** DDT**Function**

Tautomerization of D-dopachrome with decarboxylation to give 5,6-dihydroxyindole (DHI).

Cellular Location

Cytoplasm.

Tissue Location

Highly expressed in the liver and at lower levels in the heart, lung and pancreas.




DDT Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DDT Polyclonal Antibody - Images





DDT Polyclonal Antibody - Background

Tautomerization of D-dopachrome with decarboxylation to give 5,6-dihydroxyindole (DHI).