

INSL3 Polyclonal Antibody
Catalog # AP74093**Specification**

INSL3 Polyclonal Antibody - Product Information

Application	IHC
Primary Accession	P51460
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

INSL3 Polyclonal Antibody - Additional Information**Gene ID** 3640**Other Names**

Insulin-like 3 (Leydig insulin-like peptide) (Ley-I-L) (Relaxin-like factor) [Cleaved into: Insulin-like 3 B chain; Insulin-like 3 A chain]

Dilution

IHC~~IHC-p 1:50-200, ELISA 1:10000-20000

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

INSL3 Polyclonal Antibody - Protein Information**Name** INSL3**Synonyms** RLF, RLNL**Function**

Seems to play a role in testicular function. May be a trophic hormone with a role in testicular descent in fetal life. Is a ligand for LGR8 receptor.

Cellular Location

Secreted.

Tissue Location




Expressed in prenatal and postnatal Leydig cells. Found as well in the corpus luteum, trophoblast, fetal membranes and breast.


INSL3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

INSL3 Polyclonal Antibody - Images





INSL3 Polyclonal Antibody - Background

Seems to play a role in testicular function. May be a trophic hormone with a role in testicular descent in fetal life. Is a ligand for LGR8 receptor.