

CD297 Polyclonal Antibody
Catalog # AP74126**Specification**

CD297 Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	Q93070
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

CD297 Polyclonal Antibody - Additional Information**Gene ID** 420**Other Names**

Ecto-ADP-ribosyltransferase 4 (EC 2.4.2.31) (ADP-ribosyltransferase C2 and C3 toxin-like 4) (ARTC4) (Dombrock blood group carrier molecule) (Mono(ADP-ribosyl)transferase 4) (NAD(P)(+)-arginine ADP-ribosyltransferase 4) (CD antigen CD297)

Dilution

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

CD297 Polyclonal Antibody - Protein Information**Name** ART4**Synonyms** DO, DOK1**Cellular Location**

Cell membrane; Lipid-anchor, GPI-anchor.

Tissue Location

Expressed in spleen and T-cells.


CD297 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CD297 Polyclonal Antibody - Images



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200




Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at

1:200



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200