

Tetranectin Polyclonal Antibody
Catalog # AP74167**Specification**

Tetranectin Polyclonal Antibody - Product Information

Application	IHC
Primary Accession	P05452
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

Tetranectin Polyclonal Antibody - Additional Information**Gene ID** 7123**Other Names**

Tetranectin (TN) (C-type lectin domain family 3 member B) (Plasminogen kringle 4-binding protein)

Dilution

IHC~~IHC-p 1:50-200, ELISA 1:10000-20000

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Tetranectin Polyclonal Antibody - Protein Information**Name** CLEC3B**Synonyms** TNA**Function**

Tetranectin binds to plasminogen and to isolated kringle 4. May be involved in the packaging of molecules destined for exocytosis. Plays a role in retinal function (PubMed:35331648).

Cellular Location

Secreted.

Tissue Location




Found in plasma.


Tetranectin Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tetranectin Polyclonal Antibody - Images





Tetranectin Polyclonal Antibody - Background

Tetranectin binds to plasminogen and to isolated kringle 4. May be involved in the packaging of molecules destined for exocytosis.