

CD42c Polyclonal Antibody
Catalog # AP74211**Specification**

CD42c Polyclonal Antibody - Product Information

Application	IHC
Primary Accession	P13224
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

CD42c Polyclonal Antibody - Additional Information**Gene ID** 2812**Other Names**

Platelet glycoprotein Ib beta chain (GP-Ib beta) (GPIb-beta) (GPIbB) (Antigen CD42b-beta) (CD antigen CD42c)

Dilution

IHC~~IHC-p 1:50-200, ELISA 1:10000-20000

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

CD42c Polyclonal Antibody - Protein Information**Name** GP1BB**Function**

Gp-Ib, a surface membrane protein of platelets, participates in the formation of platelet plugs by binding to von Willebrand factor, which is already bound to the subendothelium.

Cellular Location

Membrane; Single-pass type I membrane protein.

Tissue Location




Expressed in heart and brain.


CD42c Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CD42c Polyclonal Antibody - Images





CD42c Polyclonal Antibody - Background

Gp-Ib, a surface membrane protein of platelets, participates in the formation of platelet plugs by binding to von Willebrand factor, which is already bound to the subendothelium.