10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-FLAG-tag Antibody
Mouse monoclonal antibody to FLAG-tag
Catalog # AP74805

Specification

Anti-FLAG-tag Antibody - Product Information

Application	**WB, IF, IC, IP**
Reactivity	**Human**
Host	**Mouse**
Clonality	**Monoclonal**

Anti-FLAG-tag Antibody - Additional Information

Target/Specificity
KLH-conjugated synthetic peptide encompassing a sequence of FLAG-tag. The exact sequence is proprietary.

Dilution
WB~~1/2000 - 1/5000
IF~~1/200 - 1/500
IC~~N/A
IP~~1/100 - 1/200

Format
Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Storage
Store at -20 °C.Stable for 12 months from date of receipt

Anti-FLAG-tag Antibody - Protein Information

Anti-FLAG-tag Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-FLAG-tag Antibody - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Western blot analysis of over-expressed FLAG-tagged protein in 293T cell lysate.



Immunofluorescent analysis of FLAG-tag staining in 293T cells transfected with a Flag-tag protein. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



Immunoprecipitation of FLAG-tagged protein from HEK293T cells transfected with vector overexpressing Flag tag, using Anti-FLAG-tag Antibody.

Anti-FLAG-tag Antibody - Background

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

KLH-conjugated synthetic peptide encompassing a sequence of FLAG-tag. The exact sequence is proprietary