

#### **ELOVL5 Rabbit mAb**

**Catalog # AP74814** 

### **Specification**

#### **ELOVL5 Rabbit mAb - Product Information**

Application WB, ICC
Primary Accession Q9NYP7
Reactivity Human
Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 35293

### **ELOVL5 Rabbit mAb - Additional Information**

Gene ID 60481

**Other Names ELOVL5** 

**Dilution**WB~~1/500-1/1000
ICC~~N/A

### **Format**

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

### Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


## **ELOVL5 Rabbit mAb - Protein Information**

Name ELOVL5 {ECO:0000255|HAMAP-Rule:MF 03205}

**Synonyms** ELOVL2

### **Function**

Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long-chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs) per cycle. Condensing enzyme that acts specifically toward polyunsaturated acyl-CoA with the higher activity toward C18:3(n-6) acyl-CoA. May participate in the production of monounsaturated and of polyunsaturated VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators (By similarity) (PubMed:<a href="http://www.uniprot.org/citations/10970790" target="\_blank">10970790</a>, PubMed:<a href="http://www.uniprot.org/citations/20937905" target="\_blank">20937905</a>). In conditions where the essential linoleic and alpha linoleic fatty acids are lacking it is also involved in the synthesis of Mead acid from oleic acid (By similarity).





### **Cellular Location**

Endoplasmic reticulum membrane {ECO:0000255|HAMAP-Rule:MF\_03205, ECO:0000269|PubMed:20937905}; Multi- pass membrane protein {ECO:0000255|HAMAP-Rule:MF\_03205}. Cell projection, dendrite {ECO:0000255|HAMAP-Rule:MF\_03205, ECO:0000269|PubMed:25065913}. Note=In Purkinje cells, the protein localizes to the soma and proximal portion of the dendritic tree {ECO:0000255|HAMAP-Rule:MF\_03205, ECO:0000269|PubMed:25065913}

### **Tissue Location**

Ubiquitous. Highly expressed in the adrenal gland and testis. Weakly expressed in prostate, lung and brain. Expressed in the cerebellum.

## **ELOVL5 Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **ELOVL5 Rabbit mAb - Images**

