

Importin 9 Rabbit mAb
Catalog # AP74841**Specification****Importin 9 Rabbit mAb - Product Information**

Application	WB, IP, ICC
Primary Accession	Q96P70
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	115963

Importin 9 Rabbit mAb - Additional Information**Gene ID** 55705**Other Names**
IPO9**Dilution**
WB~~1/500-1/1000
IP~~N/A
ICC~~N/A**Format**
50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.**Storage**
Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.**Importin 9 Rabbit mAb - Protein Information****Name** IPO9 {ECO:0000303|PubMed:30855230, ECO:0000312|HGNC:HGNC:19425}**Function**

Nuclear transport receptor that mediates nuclear import of proteins, such as histones, proteasome and actin (PubMed:11823430, PubMed:30855230, PubMed:34711951). Serves as receptor for nuclear localization signals (NLS) in cargo substrates (PubMed:11823430). Is thought to mediate docking of the importin/substrate complex to the nuclear pore complex (NPC) through binding to nucleoporin and the complex is subsequently translocated through the pore by an energy requiring, Ran-dependent mechanism (PubMed:11823430). At the nucleoplasmic side of the NPC, Ran binds to the importin, the importin/substrate complex dissociates and importin is re-exported from the nucleus to the cytoplasm where GTP hydrolysis releases Ran (PubMed:11823430).

target="_blank">11823430). The directionality of nuclear import is thought to be conferred by an asymmetric distribution of the GTP- and GDP-bound forms of Ran between the cytoplasm and nucleus (PubMed:11823430). Mediates the import of pre-assembled proteasomes into the nucleus; AKIRIN2 acts as a molecular bridge between IPO9 and the proteasome complex (PubMed:11823430, PubMed:34711951). Mediates the nuclear import of histones H2A, H2B, H4 and H4 (PubMed:11823430, PubMed:30855230). In addition to nuclear import, also acts as a chaperone for histones by preventing inappropriate non-nucleosomal interactions (PubMed:30855230). Mediates the nuclear import of actin (By similarity).

Cellular Location

Cytoplasm. Nucleus

Importin 9 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Importin 9 Rabbit mAb - Images



