

**CD166 Rabbit mAb**  
**Catalog # AP75212****Specification****CD166 Rabbit mAb - Product Information**

Application	WB, IHC-P, IHC-F, IP, ICC
Primary Accession	<a href="#">Q13740</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	65102

**CD166 Rabbit mAb - Additional Information****Gene ID** 214**Other Names**

ALCAM

**Dilution**WB~~1/500-1/1000  
IHC-P~~N/A  
IHC-F~~N/A  
IP~~1/20  
ICC~~N/A**Format**

Liquid

**CD166 Rabbit mAb - Protein Information****Name** ALCAM**Synonyms** MEMD {ECO:0000303|PubMed:9502422}**Function**

Cell adhesion molecule that mediates both heterotypic cell-cell contacts via its interaction with CD6, as well as homotypic cell-cell contacts (PubMed:<a href="http://www.uniprot.org/citations/15048703" target="\_blank">15048703</a>, PubMed:<a href="http://www.uniprot.org/citations/15496415" target="\_blank">15496415</a>, PubMed:<a href="http://www.uniprot.org/citations/16352806" target="\_blank">16352806</a>, PubMed:<a href="http://www.uniprot.org/citations/23169771" target="\_blank">23169771</a>, PubMed:<a href="http://www.uniprot.org/citations/24945728" target="\_blank">24945728</a>, PubMed:<a href="http://www.uniprot.org/citations/7760007" target="\_blank">7760007</a>). Promotes T-cell activation and proliferation via its interactions with CD6 (PubMed:<a href="http://www.uniprot.org/citations/15048703" target="\_blank">15048703</a>, PubMed:<a href="http://www.uniprot.org/citations/16352806" target="\_blank">16352806</a>, PubMed:<a href="http://www.uniprot.org/citations/24945728" target="\_blank">24945728</a>). Contributes

to the formation and maturation of the immunological synapse via its interactions with CD6 (PubMed:<a href="http://www.uniprot.org/citations/15294938" target="\_blank">15294938</a>, PubMed:<a href="http://www.uniprot.org/citations/16352806" target="\_blank">16352806</a>). Mediates homotypic interactions with cells that express ALCAM (PubMed:<a href="http://www.uniprot.org/citations/15496415" target="\_blank">15496415</a>, PubMed:<a href="http://www.uniprot.org/citations/16352806" target="\_blank">16352806</a>). Acts as a ligand for the LILRB4 receptor, enhancing LILRB4-mediated inhibition of T cell proliferation (PubMed:<a href="http://www.uniprot.org/citations/29263213" target="\_blank">29263213</a>). Required for normal hematopoietic stem cell engraftment in the bone marrow (PubMed:<a href="http://www.uniprot.org/citations/24740813" target="\_blank">24740813</a>). Mediates attachment of dendritic cells onto endothelial cells via homotypic interaction (PubMed:<a href="http://www.uniprot.org/citations/23169771" target="\_blank">23169771</a>). Inhibits endothelial cell migration and promotes endothelial tube formation via homotypic interactions (PubMed:<a href="http://www.uniprot.org/citations/15496415" target="\_blank">15496415</a>, PubMed:<a href="http://www.uniprot.org/citations/23169771" target="\_blank">23169771</a>). Required for normal organization of the lymph vessel network. Required for normal hematopoietic stem cell engraftment in the bone marrow. Plays a role in hematopoiesis; required for normal numbers of hematopoietic stem cells in bone marrow. Promotes in vitro osteoblast proliferation and differentiation (By similarity). Promotes neurite extension, axon growth and axon guidance; axons grow preferentially on surfaces that contain ALCAM. Mediates outgrowth and pathfinding for retinal ganglion cell axons (By similarity).

### Cellular Location

Cell membrane; Single-pass type I membrane protein. Cell projection, axon {ECO:0000250|UniProtKB:Q61490}. Cell projection, dendrite {ECO:0000250|UniProtKB:Q61490}. Note=Detected at the immunological synapse, i.e., at the contact zone between antigen-presenting dendritic cells and T-cells (PubMed:15294938, PubMed:16352806). Colocalizes with CD6 and the TCR/CD3 complex at the immunological synapse (PubMed:15294938).

### Tissue Location

Detected on hematopoietic stem cells derived from umbilical cord blood (PubMed:24740813). Detected on lymph vessel endothelial cells, skin and tonsil (PubMed:23169771). Detected on peripheral blood monocytes (PubMed:15048703). Detected on monocyte-derived dendritic cells (at protein level) (PubMed:16352806). Detected at low levels in spleen, placenta, liver (PubMed:9502422). Expressed by activated T-cells, B-cells, monocytes and thymic epithelial cells (PubMed:7760007). Isoform 1 and isoform 3 are detected in vein and artery endothelial cells, astrocytes, keratinocytes and artery smooth muscle cells (PubMed:15496415). Expressed by neurons in the brain Restricted expression in tumor cell lines. Detected in highly metastasizing melanoma cell lines (PubMed:9502422)

### CD166 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### CD166 Rabbit mAb - Images



