

#### CD35 Rabbit mAb

**Catalog # AP75226** 

## **Specification**

#### CD35 Rabbit mAb - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB, IHC-P P17927 Human Rabbit

**Monoclonal Antibody** 

223663

## CD35 Rabbit mAb - Additional Information

**Gene ID 1378** 

Other Names CR1

**Dilution**WB~~1/500-1/1000
IHC-P~~N/A

## **Format**

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

#### Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

### **CD35 Rabbit mAb - Protein Information**

Name CR1

Synonyms C3BR

## **Function**

Membrane immune adherence receptor that plays a critical role in the capture and clearance of complement-opsonized pathogens by erythrocytes and monocytes/macrophages (PubMed:<a href="http://www.uniprot.org/citations/2963069" target="\_blank">2963069</a>). Mediates the binding by these cells of particles and immune complexes that have activated complement to eliminate them from the circulation (PubMed:<a href="http://www.uniprot.org/citations/2963069" target="\_blank">2963069</a>). Also acts in the inhibition of spontaneous complement activation by impairing the formation and function of the alternative and classical pathway C3/C5 convertases, and by serving as a cofactor for the cleavage by factor I of C3b to iC3b, C3c and C3d,g, and of C4b to C4c and C4d (PubMed:<a href="http://www.uniprot.org/citations/2972794" target="\_blank">2972794</a>, PubMed:<a href="http://www.uniprot.org/citations/8175757" target="\_blank">8175757</a>). Also plays a role in immune regulation by contributing, upon ligand binding, to the generation of regulatory T cells from activated helper T cells (PubMed:<a



href="http://www.uniprot.org/citations/25742728" target="\_blank">25742728</a>).

#### **Cellular Location**

Membrane; Single- pass type I membrane protein

#### **Tissue Location**

Present on erythrocytes, a subset of T cells, mature B cells, follicular dendritic cells, monocytes and granulocytes

#### **CD35 Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# CD35 Rabbit mAb - Images

