

Cyclin E2 Rabbit mAb
Catalog # AP75314**Specification**

Cyclin E2 Rabbit mAb - Product Information

Application	WB, IHC-P, IHC-F, ICC
Primary Accession	O96020
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	46757

Cyclin E2 Rabbit mAb - Additional Information**Gene ID** 9134**Other Names**
CCNE2**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A
IHC-F~~N/A
ICC~~N/A**Format**
Liquid**Cyclin E2 Rabbit mAb - Protein Information****Name** CCNE2**Function**
Essential for the control of the cell cycle at the late G1 and early S phase.**Cellular Location**
Nucleus.**Tissue Location**
According to PubMed:9858585, highest levels of expression in adult testis, thymus and brain. Lower levels in placenta, spleen and colon. Consistently elevated levels in tumor-derived cells compared to non-transformed proliferating cells. According to PubMed:9840927; low levels in thymus, prostate, brain, skeletal muscle, and kidney. Elevated levels in lung. According to PubMed:9840943 highly expressed in testis, placenta, thymus and brain. In a lesser extent in small intestine and colon.

Cyclin E2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cyclin E2 Rabbit mAb - Images



