

Thrombopoietin (TPO) Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7557b

Specification

Thrombopoietin (TPO) Antibody (C-term) - Product Information

Application Primary Accession Reactivity Host Clonality Isotype Calculated MW Antigen Region WB,E P40225 Human Rabbit Polyclonal Rabbit IgG 37823 300-329

Thrombopoietin (TPO) Antibody (C-term) - Additional Information

Gene ID 7066

Other Names

Thrombopoietin, C-mpl ligand, ML, Megakaryocyte colony-stimulating factor, Megakaryocyte growth and development factor, MGDF, Myeloproliferative leukemia virus oncogene ligand, THPO, MGDF

Target/Specificity

This Thrombopoietin (TPO) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 300-329 amino acids from the C-terminal region of human Thrombopoietin (TPO).

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Thrombopoietin (TPO) Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Thrombopoietin (TPO) Antibody (C-term) - Protein Information

Name THPO



Synonyms MGDF

Function Lineage-specific cytokine affecting the proliferation and maturation of megakaryocytes from their committed progenitor cells. It acts at a late stage of megakaryocyte development. It may be the major physiological regulator of circulating platelets.


Cellular Location Secreted

Thrombopoietin (TPO) Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Thrombopoietin (TPO) Antibody (C-term) - Images



Western blot analysis of anti-THPO(C-term) Pab (Cat.#AP7557b) in K562 cell line lysates (35ug/lane). THPO(arrow) was detected using the purified Pab.

Thrombopoietin (TPO) Antibody (C-term) - Background

Megakaryocytopoiesis is the cellular development process that leads to platelet production. THPO is a humoral growth factor that is necessary for megakaryocyte proliferation and maturation, as well as for thrombopoiesis. It is the ligand for MLP/C_MPL, the product of myeloproliferative leukemia virus oncogene.

Thrombopoietin (TPO) Antibody (C-term) - References

Baker, J.E., Cardiovasc. Res. 77 (1), 44-53 (2008) Steinberg, O., J. Pediatr. Hematol. Oncol. 29 (12), 822-825 (2007) Kanayasu-Toyoda, T., J. Biol. Chem. 282 (46), 33507-33514 (2007)