

PSS2 Rabbit mAb
Catalog # AP75972**Specification**

PSS2 Rabbit mAb - Product Information

Application	WB, IP
Primary Accession	Q9BVG9
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	56253

PSS2 Rabbit mAb - Additional Information**Gene ID** 81490**Other Names**
PTDSS2**Dilution**
WB~~1/500-1/1000
IP~~N/A**Format**
50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.**Storage**
Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.**PSS2 Rabbit mAb - Protein Information****Name** PTDSS2**Synonyms** PSS2**Function**

Catalyzes a base-exchange reaction in which the polar head group of phosphatidylethanolamine (PE) or phosphatidylcholine (PC) is replaced by L-serine (PubMed:19014349). Catalyzes the conversion of phosphatidylethanolamine and does not act on phosphatidylcholine (PubMed:19014349). Can utilize both phosphatidylethanolamine (PE) plasmalogen and diacyl PE as substrate and the latter is six times better utilized, indicating the importance of an ester linkage at the sn-1 position (By similarity). Although it shows no sn-1 fatty acyl preference, exhibits significant preference towards docosahexaenoic acid (22:6n-3) compared with 18:1 or 20:4 at the sn-2 position (By similarity).

Cellular Location

Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q9Z1X2}; Multi-pass membrane protein. Note=Highly enriched in the mitochondria-associated membrane (MAM).
{ECO:0000250|UniProtKB:Q9Z1X2}

PSS2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PSS2 Rabbit mAb - Images

