

Securin Rabbit mAb

Catalog # AP76065

Specification

Securin Rabbit mAb - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB, IHC-P, IP
095997
Human, Mouse
Rabbit
Monoclonal Antibody
22024

Securin Rabbit mAb - Additional Information

Gene ID 9232

Other Names PTTG1

DilutionWB~~1/500-1/1000
IHC-P~~N/A
IP~~N/A

Format Liquid

Securin Rabbit mAb - Protein Information

Name PTTG1

Synonyms EAP1, PTTG, TUTR1

Function

Regulatory protein, which plays a central role in chromosome stability, in the p53/TP53 pathway, and DNA repair. Probably acts by blocking the action of key proteins. During the mitosis, it blocks Separase/ESPL1 function, preventing the proteolysis of the cohesin complex and the subsequent segregation of the chromosomes. At the onset of anaphase, it is ubiquitinated, conducting to its destruction and to the liberation of ESPL1. Its function is however not limited to a blocking activity, since it is required to activate ESPL1. Negatively regulates the transcriptional activity and related apoptosis activity of TP53. The negative regulation of TP53 may explain the strong transforming capability of the protein when it is overexpressed. May also play a role in DNA repair via its interaction with Ku, possibly by connecting DNA damage-response pathways with sister chromatid separation.

Cellular Location Cytoplasm. Nucleus.





Tel: 858.875.1900 Fax: 858.875.1999

Tissue Location

Expressed at low level in most tissues, except in adult testis, where it is highly expressed. Overexpressed in many patients suffering from pituitary adenomas, primary epithelial neoplasias, and esophageal cancer.

Securin Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Securin Rabbit mAb - Images







