

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb

Catalog # AP76340

Specification

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb - Product Information

Application WB, IHC-P, IHC-F, ICC Primary Accession 075369

Reactivity Human, Rat Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 278164

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb - Additional Information

Gene ID 2317

Other Names

FLNB

Dilution

WB~~1/500-1/1000

IHC-P~~N/A

IHC-F \sim N/A

ICC~~N/A

Format

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb - Protein Information

Name FLNB


Synonyms FLN1L, FLN3, TABP, TAP

Function

Connects cell membrane constituents to the actin cytoskeleton. May promote orthogonal branching of actin filaments and links actin filaments to membrane glycoproteins. Anchors various transmembrane proteins to the actin cytoskeleton. Interaction with FLNA may allow neuroblast migration from the ventricular zone into the cortical plate. Various interactions and localizations of isoforms affect myotube morphology and myogenesis. Isoform 6 accelerates muscle differentiation in vitro.

Cellular Location

[Isoform 1]: Cytoplasm, cell cortex. Cytoplasm, cytoskeleton. Cytoplasm, cytoskeleton, stress fiber. Cytoplasm, myofibril, sarcomere, Z line. Note=In differentiating myotubes, isoform 1, isoform 2





and isoform 3 are localized diffusely throughout the cytoplasm with regions of enrichment at the longitudinal actin stress fiber. In differentiated tubes, isoform 1 is also detected within the Z-lines [Isoform 3]: Cytoplasm, cytoskeleton, stress fiber

Tissue Location

Ubiquitous. Isoform 1 and isoform 2 are expressed in placenta, bone marrow, brain, umbilical vein endothelial cells (HUVEC), retina and skeletal muscle. Isoform 1 is predominantly expressed in prostate, uterus, liver, thyroid, stomach, lymph node, small intestine, spleen, skeletal muscle, kidney, placenta, pancreas, heart, lung, platelets, endothelial cells, megakaryocytic and erythroleukemic cell lines. Isoform 2 is predominantly expressed in spinal cord, platelet and Daudi cells. Also expressed in thyroid adenoma, neurofibrillary tangles (NFT), senile plaques in the hippocampus and cerebral cortex in Alzheimer disease (AD). Isoform 3 and isoform 6 are expressed predominantly in lung, heart, skeletal muscle, testis, spleen, thymus and leukocytes. Isoform 4 and isoform 5 are expressed in heart.

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Phospho-Filamin A/B (Ser2152/Ser2107) Rabbit mAb - Images

