

CSDE1 Rabbit mAb
Catalog # AP76450**Specification**

CSDE1 Rabbit mAb - Product Information

Application	WB, IHC-P, IHC-F, IP, ICC
Primary Accession	O75534
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	88885

CSDE1 Rabbit mAb - Additional Information**Gene ID** 7812**Other Names**
CSDE1**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A
IHC-F~~N/A
IP~~N/A
ICC~~N/A**Format**
Liquid**CSDE1 Rabbit mAb - Protein Information****Name** CSDE1 ([HGNC:29905](#))

Function
RNA-binding protein involved in translationally coupled mRNA turnover (PubMed:11051545, PubMed:15314026). Implicated with other RNA- binding proteins in the cytoplasmic deadenylation/translational and decay interplay of the FOS mRNA mediated by the major coding-region determinant of instability (mCRD) domain (PubMed:11051545, PubMed:15314026). Required for efficient formation of stress granules (PubMed:29395067).

Cellular Location
Cytoplasm. Cytoplasm, Stress granule. Cytoplasm, P-body

CSDE1 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CSDE1 Rabbit mAb - Images



