

Cyclin H Rabbit mAb

Catalog # AP76458

Specification

Cyclin H Rabbit mAb - Product Information

Application Primary Accession Reactivity Host Clonality WB, IP, ICC
P51946
Human, Mouse
Rabbit
Monoclonal Antibody
37643

Cyclin H Rabbit mAb - Additional Information

Gene ID 902

Calculated MW

Other Names CCNH

DilutionWB~~1/500-1/1000
IP~~1/20
ICC~~N/A

Format

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Cyclin H Rabbit mAb - Protein Information

Name CCNH

Function

Regulates CDK7, the catalytic subunit of the CDK-activating kinase (CAK) enzymatic complex. CAK activates the cyclin-associated kinases CDK1, CDK2, CDK4 and CDK6 by threonine phosphorylation. CAK complexed to the core-TFIIH basal transcription factor activates RNA polymerase II by serine phosphorylation of the repetitive C-terminal domain (CTD) of its large subunit (POLR2A), allowing its escape from the promoter and elongation of the transcripts. Involved in cell cycle control and in RNA transcription by RNA polymerase II. Its expression and activity are constant throughout the cell cycle.

Cellular LocationNucleus.



Cyclin H Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Cyclin H Rabbit mAb - Images









