

ILK Antibody (S246)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7651e

Specification

ILK Antibody (S246) - Product Information

Application WB, IHC-P,E
Primary Accession 013418

Other Accession <u>Q99J82</u>, <u>O55222</u>, <u>Q3SWY2</u>, <u>NP_004508</u>

Reactivity Human

Predicted Bovine, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 51419
Antigen Region 225-253

ILK Antibody (S246) - Additional Information

Gene ID 3611

Other Names

Integrin-linked protein kinase, 59 kDa serine/threonine-protein kinase, ILK-1, ILK-2, p59ILK, ILK, ILK1, ILK2

Target/Specificity

This ILK antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 225-253 amino acids from human ILK.

Dilution

WB~~1:1000 IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ILK Antibody (S246) is for research use only and not for use in diagnostic or therapeutic procedures.

ILK Antibody (\$246) - Protein Information

Name ILK (HGNC:6040)



Tel: 858.875.1900 Fax: 858.875.1999

Function Receptor-proximal protein kinase regulating integrin-mediated signal transduction (PubMed:8538749, PubMed:9736715). May act as a mediator of inside-out integrin signaling (PubMed:10712922). Focal adhesion protein part of the complex ILK-PINCH (PubMed:10712922). This complex is considered to be one of the convergence points of integrin- and growth factor-signaling pathway (PubMed: 10712922). Could be implicated in mediating cell architecture, adhesion to integrin substrates and anchorage-dependent growth in epithelial cells (PubMed: 10712922). Regulates cell motility by forming a complex with PARVB (PubMed: 32528174). Phosphorylates beta-1 and beta-3 integrin subunit on serine and threonine residues, but also AKT1 and GSK3B (PubMed:8538749, PubMed:9736715).

Cellular Location

Cell junction, focal adhesion. Cell membrane; Peripheral membrane protein; Cytoplasmic side. Cell projection, lamellipodium {ECO:0000250|UniProtKB:O55222}. Cytoplasm, myofibril, sarcomere

Tissue Location


Highly expressed in heart followed by skeletal muscle, pancreas and kidney. Weakly expressed in placenta, lung and liver

ILK Antibody (S246) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cvtometv
- Cell Culture

ILK Antibody (\$246) - Images




Western blot analysis of anti-ILK Antibody (S246) (Cat.#AP7651e) in Hela cell line lysates (35ug/lane). ILK(arrow) was detected using the purified Pab.





Western blot analysis of ILK (arrow) using rabbit polyclonal ILK Antibody (pS246) (Cat.#AP7651e). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the ILK gene.




Formalin-fixed and paraffin-embedded human hepatocarcinoma tissue reacted with ILK Antibody (S246) (Cat.#AP7651e), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

ILK Antibody (S246) - Background

Transduction of extracellular matrix signals through integrins influences intracellular and extracellular functions, and appears to require interaction of integrin cytoplasmic domains with cellular proteins. Integrin-linked kinase (ILK), interacts with the cytoplasmic domain of beta-1 integrin. ILK is a serine/threonine protein kinase with 4 ankyrin-like repeats, which associates with the cytoplasmic domain of beta integrins and acts as a proximal receptor kinase regulating integrin-mediated signal transduction.

ILK Antibody (S246) - References

Li, Y., et al., J. Clin. Invest. 112(4):503-516 (2003). Troussard, A.A., et al., J. Biol. Chem. 278(25):22374-22378 (2003). Marotta, A., et al., Br. J. Cancer 88(11):1755-1762 (2003). Cordes, N., et al., Br. J. Cancer 88(9):1470-1479 (2003). Fukuda, T., et al., J. Cell Biol. 160(7):1001-1008 (2003). ILK Antibody (\$246) - Citations





• Comparison of ILK and ERP29 expressions in benign and malignant pancreatic lesions and their clinicopathological significances in pancreatic ductal adenocarcinomas.