

ICAM2 Rabbit mAb
Catalog # AP76542**Specification**

ICAM2 Rabbit mAb - Product Information

Application	WB, IHC-P, IP
Primary Accession	P35330
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	31390

ICAM2 Rabbit mAb - Additional Information**Gene ID** 15896**Other Names**
Icam2**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A
IP~~N/A**Format**
Liquid**ICAM2 Rabbit mAb - Protein Information****Name** Icam2**Synonyms** Icam-2**Function**

ICAM proteins are ligands for the leukocyte adhesion protein LFA-1 (integrin alpha-L/beta-2). ICAM2 may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for immune response and surveillance.

Cellular Location

Membrane; Single-pass type I membrane protein. Cell projection, microvillus. Note=Co-localizes with RDX, EZR and MSN in microvilli.

Tissue Location

Expressed in endothelial cells and leukocytes. High levels found in lung

ICAM2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ICAM2 Rabbit mAb - Images

